

Package: Ifactors (via r-universe)

September 6, 2024

Version 1.0.4

Date 2018-03-16

Title Factors with Levels

Author Paul Bailey [aut, cre]

Maintainer Paul Bailey <pbailey@air.org>

Depends R (>= 3.1.0)

Imports methods, stats, utils

Suggests testthat, Matrix

Description Provides an extension to factors called 'lfactor' that are similar to factors but allows users to refer to 'lfactor' levels by either the level or the label.

License GPL-2

RoxygenNote 6.0.1

Repository <https://pdbailey0.r-universe.dev>

RemoteUrl <https://github.com/pdbailey0/lfactors>

RemoteRef HEAD

RemoteSha ff7ecdb399511d90ae53604bb65406a79678fdcf

Contents

lfactors-package	2
as.factor.lfactor	2
as.integer.lfactor	3
as.numeric.lfactor	4
inlf	5
lfactor	5
llevels	7
mlfactor	7

Index	8
--------------	----------

lfactors-package	<i>Allow a user to use == and %in% on an lfactor for both the label and the level</i>
------------------	---

Description

Similar to a factor, the user defines levels and labels when creating an lfactor. This is especially useful when labels are long, and users know the levels well.

Details

See [lfactor](#) for examples.

as.factor.lfactor	<i>factor from an lfactor</i>
-------------------	-------------------------------

Description

Returns a factor from an [lfactor](#).

Usage

```
## S3 method for class 'lfactor'  
as.factor(x)
```

Arguments

x the lfactor to be coerced to a factor

Details

Simply drops the numeric levels from the lfactor and returns a normal factor.

See Also

[as.factor](#)

as.integer.lfactor *Integer Vectors from lfactors*

Description

Returns integer representation of an lfactor that ignores the values used in the levels argument when the lfactor was created and instead returns an integer representation starting with 1.

Usage

```
## S3 method for class 'lfactor'  
as.integer(x, ...)
```

Arguments

x	same as as.integer
...	not used

Details

This method does not return integer results that are otherwise equal to the results from as.numeric for compatibility with sparse.model.matrix.

See Also

as.integer, [as.numeric.lfactor](#)

Examples

```
require(lfactors)  
# create an example  
let <- lfactor(4:12,  
              levels=4:12,  
              labels=letters[4:12])  
  
as.numeric(let)  
#same as as.numeric(4:12)  
as.integer(let)  
#same as 1:9
```

as.numeric.lfactor *Numeric Vectors from lfactors*

Description

Returns numeric representation of an lfactor equal to the levels argument for each value. This is different from the behavior of factor which would ignore the values of level.

Usage

```
## S3 method for class 'lfactor'  
as.numeric(x, ...)
```

Arguments

x	same as as.numeric
...	not used

Details

This method does not return floating point (numeric) results that are otherwise equal to the results from [as.integer.lfactor](#). Instead it returns the value of the level that was input when the lfactor was created.

See Also

as.numeric, [as.integer.lfactor](#)

Examples

```
require(lfactors)  
# create an example  
let <- lfactor(4:12,  
              levels=4:12,  
              labels=letters[4:12])  
  
as.numeric(let)  
#same as as.numeric(4:12)  
as.integer(let)  
#same as 1:9
```

inlf	<i>Implements %in% for lfactors</i>
------	-------------------------------------

Description

Implements %in% for lfactors.

Usage

```
inlf(x, table)
```

Arguments

x	same as %in%
table	same as %in%

See Also

%in%

lfactor	<i>lfactors</i>
---------	-----------------

Description

lfactor creates a factor that can be compared to its levels or labels.

Usage

```
lfactor(x, levels, labels = levels, ...)
```

Arguments

x	a numeric or character vector of data. Levels of x can be taken either from levels or labels.
levels	a numeric vector of levels in x. Note that, unlike factor, these must be numeric.
labels	a vector of labels for the levels. This vector must be either characters that cannot be cast as numeric or characters that are equal to the level, of the same index, when cast as numeric.
...	arguments passed to factor

Details

An Ifactor can be compared to the levels or the labels (see the Examples). Because of that, the levels must be numeric, and the labels must be either not castable as numeric or equal to the levels of the same index when cast as numeric.

An Ifactor is, essentially, a factor that remembers the levels as well as the labels argument. Note that all of the arguments are passed to `factor`. Because Ifactor imposes some additional constraints on the types of levels and labels and stores additional information, an Ifactor uses more memory than a factor—because it stores both labels and levels—and is, in some ways, more limited than a factor.

Value

An object of class Ifactor that also implements factor

See Also

`factor`

Examples

```
require(lfactors)
# make an example Ifactor object
mon <- Ifactor(1:12,
              levels=1:12,
              labels=c("Jan", "Feb", "Mar", "Apr", "May", "Jun",
                      "Jul", "Aug", "Sep", "Oct", "Nov", "Dec"))

# print out the Ifactor
mon
# compare to label
mon == "Feb"
# Compare to level
mon == 2
# Show that the == works correctly
all.equal(mon == "Feb", mon == 2)
# Show that the != works correctly
all.equal(mon != "Feb", mon != 2)
# also works when the vector is not the Ifactor
all.equal(mon[3] == c("Jan", "Feb", "Mar"), mon[3] == 1:3)

# or when both the Ifactor and the object being compare to are vectors
all.equal(mon[1:2] == c("Feb", "Tuesday"), mon[1:2] == c(2,-4) )

# similar to Ops.factor, this gives a helpful warning and NA results
mon >= "Jan"

# %in% works correctly
all.equal(mon %in% c(2, 3), mon %in% c("Feb", "Mar"))
# and when the Ifactor is on the right
all.equal(c(-4, 14,3,10) %in% mon, c("not a month", "Third December", "Mar", "Oct") %in% mon)
# and when both left and right are Ifactors
all.equal(mon %in% mon, rep(TRUE,12))
```

llevels	<i>Numeric Levels of an lfactor</i>
---------	-------------------------------------

Description

llevels gives the numeric levels of an lfactor.

Usage

```
llevels(x)
```

Arguments

x object of class lfactor

Value

A vector of levels

See Also

levels

mlfactor	match <i>Function for lfactors</i>
----------	--

Description

match function for lfactors.

Usage

```
mlfactor(x, table, nomatch = NA_integer_, incomparables = NULL)
```

Arguments

x same as match
table same as match
nomatch same as match
incomparables same as match

Details

Allows match to work when the x or table arguments in a call to match are lfactors.

See Also

match

Index

`%in%`, ANY, `lfactor-method (inlf)`, 5
`%in%`, `lfactor`, ANY-method (`inlf`), 5
`%in%`, `lfactor`, `lfactor-method (inlf)`, 5

`as.factor`, `lfactor-method`
 (`as.factor.lfactor`), 2
`as.factor.lfactor`, 2
`as.integer.lfactor`, 3, 4
`as.numeric.lfactor`, 3, 4

`inlf`, 5

`lfactor`, 2, 5
`lfactors-package`, 2
`llevels`, 7

`match`, 7
`match`, ANY, `lfactor-method (mlfactor)`, 7
`match`, `lfactor`, ANY-method (`mlfactor`), 7
`match`, `lfactor`, `lfactor-method`
 (`mlfactor`), 7
`mlfactor`, 7