

Package: tidyEdSurvey (via r-universe)

June 2, 2026

Version 0.1.4

Date 2025-12-03

Title Integration of 'dplyr' and 'ggplot2' with 'EdSurvey'

Maintainer Paul Bailey <pbailey@air.org>

Depends R (>= 3.5.0), EdSurvey (>= 4.0.1),

Imports dplyr, ggplot2, tidycselect, lifecycle, cli, stats, rlang,
methods

Suggests testthat

Description Takes objects of class edsurvey.data.frame and converts them to a data.frame within the calling environment of 'dplyr' and 'ggplot2' functions. Additionally, for plotting with 'ggplot2', users can map aesthetics to subject scales and all plausible values will be used. This package supports student level data; to work with school or teacher level data, see '?EdSurvey::getData'.

License GPL-2

Encoding UTF-8

RoxygenNote 7.3.3

NeedsCompilation no

Author Paul Bailey [cre, ctb] (ORCID:
<<https://orcid.org/0000-0003-0989-8729>>), Blue Webb [aut]
(ORCID: <<https://orcid.org/0009-0004-4080-9864>>), Tom Fink
[ctb] (ORCID: <<https://orcid.org/0009-0003-9308-2833>>)

Config/pak/sysreqs cmake make libicu-dev libxml2-dev libx11-dev zlib1g-dev

Repository <https://pdbailey0.r-universe.dev>

Date/Publication 2025-12-04 06:50:42 UTC

RemoteUrl <https://github.com/cran/tidyEdSurvey>

RemoteRef HEAD

RemoteSha 132679204f4ab2911792bb04a1acd7bfdaf58ea7

Contents

attach	2
Index	3

attach	<i>Attach an edsurvey.data.frame to Search Path</i>
--------	---

Description

Implements [attach](#) for an `edsurvey.data.frame` or a `light.edsurvey.data.frame` by attaching student level variables to the search path

Usage

```
attach(
  what,
  pos = 2L,
  name = deparse1(substitute(what), backtick = FALSE),
  warn.conflicts = TRUE
)
```

Arguments

<code>what</code>	equivalent to ‘ <code>what</code> ’ in <code>base::attach</code> , but can also be an <code>edsurvey.data.frame</code> or <code>light.edsurvey.data.frame</code>
<code>pos</code>	equivalent to ‘ <code>pos</code> ’ in <code>base::attach</code>
<code>name</code>	equivalent to ‘ <code>name</code> ’ in <code>base::attach</code>
<code>warn.conflicts</code>	equivalent to ‘ <code>warn.conflicts</code> ’ in <code>base::attach</code>

Details

Because `attach` is a standard generic function that does not use method dispatch, we set this function as generic, which means it overwrites `base::attach` on loading. If the object to attach is not an `edsurvey.data.frame` or a `light.edsurvey.data.frame`, the function will revert to the standard base method.

Value

the environment is returned invisibly with a "name" attribute

Author(s)

Blue Webb

See Also

`attach`

Index

attach, [2](#), [2](#)